AMENDMENTS TO THE CLAIMS

This listing of claims replaces all prior versions, and listings, of claims for this application.

1. (Currently Amended) A compound having a phosphorylcholine group, represented by the formula (I):

$$X^{1} \longrightarrow A - (CH_{2})_{\overline{m}} - OPOCH_{2}CH_{2}N^{+} - CH_{3}$$

$$X^{2} \longrightarrow A - (CH_{2})_{\overline{m}} - OPOCH_{2}CH_{2}N^{+} - CH_{3}$$

$$O^{-} CH_{3}$$

$$O^{-} CH_{3}$$

$$O^{-} CH_{3}$$

wherein X^1 and X^2 are both amino groups or <u>both</u> -COOR¹ groups where R^1 's may be the same or different from each other and are each a hydrogen atom or a carboxyl-protective group; A is a bond selected from a single bond, -O-, -COO- , -OOC-, -CONH-, -NH-, -NHCO-, -NR²- and -CH₂O-where R^2 is an alkyl group having 1 to 6 carbon atoms; and m is an integer of 1 to 12.

- 2. (Currently Amended) The compound having a phosphorylcholine group according to claim 1, wherein X^1 and X^2 are both amino groups.
- 3. (Currently Amended) The compound having a phosphorylcholine group according to claim 1, wherein X^1 and X^2 are both -COOR¹ groups where R^1 's are both hydrogen atoms.
- 4. (Currently Amended) The compound having a phosphorylcholine group according to claim 1, wherein X^1 and X^2 are both -COOR¹ groups where R^1 's may be the same or different from each other and are each an alkyl group having 1 to 6 carbon atoms, a substituted or unsubstituted arylmethyl group, a cyclic ether residue, an alkylsilyl group or an alkylphenylsilyl group.
- 5. (Withdrawn) A polymer comprising at least 1 mol% of repeating units with a phosphorylcholine group and having a number-average molecular weight of 1,000 or more, the repeating units with a phosphorylcholine group being represented by the formula (II):

$$\begin{array}{c|c}
 & CH_3 \\
 & CH_2 \\
\hline
 & O & CH_3 \\
\hline
 & O & CH_3
\end{array}$$
(II)

wherein A is a bond selected from a single bond, -O-, -COO-, -OOC-, -CONH-, -NH-, -NHCO-, - NR^2 - and -CH₂O- where R^2 is an alkyl group having 1 to 6 carbon atoms; and m is an integer of 1 to 12.

- 6. (Withdrawn) The polymer according to claim 5, which has one or more bonds selected from an amido bond, an ester bond, a urethane bond, a urea bond and an imido bond within its main chain skeleton.
- 7. (Withdrawn) A process for producing a polymer as described in claim 5, which process comprises performing polycondensation or polyaddition of a compound having a phosphorylcholine group represented by the formula (I) and another polymerizable monomer:

$$\begin{array}{c} X^{1} \\ X^{2} \\ X^{2} \\ \end{array} - A - (CH_{2})_{\overline{m}} - \begin{array}{c} O & CH_{3} \\ I & I \\ O - CH_{2} \\ O - CH_{3} \\ \end{array} \qquad (I)$$

wherein X^1 and X^2 are both amino groups or -COOR¹ groups where R^1 's may be the same or different from each other and are each a hydrogen atom or a carboxyl-protective group; A is a bond selected from a single bond, -O-, -COO-, -OOC-, -CONH-, -NH-, -NHCO-, -NR²- and -CH₂O-where R^2 is an alkyl group having 1 to 6 carbon atoms; and m is an integer of 1 to 12.

8. (Withdrawn) The process according to claim 7, wherein the other polymerizable monomer is one or more monomers selected from a dicarboxylic acid, a dicarboxylic acid derivative, a tetracarboxylic dianhydride, a diisocyanate compound, a diamine compound and a diol compound.

Application No.: 10/518,462 7 Docket No.: 584282000100

9. (New) The compound according to claim 2, wherein A is a -COO- group.